	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	21	multiple with fan with (monitor or monitoring)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:30		
2	BRS	0	waveform with (shape or shaping) with network with fans	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 16:41		
3	BRS	0	waveform with (shape or shaping) with network same fans	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 16:41		
4	BRS	0	waveform with (shape or shaping) with network same fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 16:41		
5	BRS	11	waveform with (shape or shaping) with network and fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 16:48		
6	BRS	215	waveform with (shape or shaping) with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 16:43		
7	BRS	16	waveform with (shape or shaping) with network and (cool or cooling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 16:49		
8	BRS	1	((multiple with fan) or fans) with (waveshape or waveshaping)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 16:54		
9	BRS	42	((multiple with fan) or fans) and (waveshape or waveshaping)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:07		
10	BRS	1	fan with (waveshape or waveshaping)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:08		
11	BRS	55	fan and (waveshape or waveshaping or waveshaped) with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:08		
12	BRS	1	fan and (waveshape or waveshaping or waveshaped) with signal with network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:13		
13	BRS	1	waveshaped with tach with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:13		

01/30/2003, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
14	BRS	162	waveshaped with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:14		
15	BRS	1	waveshaped with signal with fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:14		
16	BRS	7	waveshaped with signal and fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:15		
17	BRS	1	waveshaped with signal and fan and network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:16		
18	BRS	5	fan with network with waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:22		
19	BRS	3	fan with sense with node and network and (waveform or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:23		
20	BRS	21	fan with network with (waveform or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:25		
21	BRS	5	fan with network with (waveform or frequency) and heat	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:28		
22	BRS	6824	computer and (cool or cooling) with (fan or fans)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:28		
23	BRS	82	computer and (cool or cooling) with (fan or fans) with (waveform or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:29		
24	BRS	23	computer and (cool or cooling) with fans with (waveform or frequency)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:45		
25	BRS	992	shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:46		
26	BRS	2	shaping adj1 network with (fan or fans)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/27 17:46		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
27	BRS	5	fan adj1 sense adj1 (pin or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 10:07		
28	BRS	1	"6054823".PN.	USPAT	2003/01/28 11:28		
29	BRS	1	"6045331".PN.	USPAT	2003/01/28 11:28		
30	BRS	1	"5990582".PN.	USPAT	2003/01/28 11:51		
31	BRS	5	5990582.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 11:38		
32	BRS	0	fans with tachometers with microprocessor	USPAT	2003/01/28 11:51		
33	BRS	12	fan with tachometer with microprocessor	USPAT	2003/01/28 12:21		
34	BRS	16	fan with tachometer and cooling with computer	USPAT	2003/01/28 12:44		
35	BRS	3	fan with tachometer and cooling and sense with (pin or node)	USPAT	2003/01/28 12:46		
36	BRS	9	fan with sense with (pin or node)	USPAT	2003/01/28 12:47		
37	BRS	9	fan with sense with (pin or node) not 5727928.PN.	USPAT	2003/01/28 12:47		
38	BRS	6	fan with sense with node	USPAT	2003/01/28 13:04		
39	BRS	4	fan with sense with pin	USPAT	2003/01/28 12:48		
40	BRS	1	fan adj sense with tachometer	USPAT	2003/01/28 13:07		
41	BRS	0	fan with sense with (pin or node or input) with tachometer	USPAT	2003/01/28 13:06		
42	BRS	0	fan with sense with (pin or node or input) and tachometer	USPAT	2003/01/28 13:07		
43	BRS	1	tachometer with blocking with capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 13:38		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
44	BRS	0	fan with tachometer with resistor with capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 13:39		
45	BRS	4	fan and tachometer with resistor with capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 13:39		
46	BRS	128	tachometer with resistor with capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 13:44		
47	BRS	1	tachometer near resistor near capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 13:44		
48	BRS	459	702/64,65.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:50		
49	BRS	1386	702/34,41,64,65,66,69,70,for.106,for.107,for.110.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:59		
50	BRS	3731	361/676,683,687,695,688,697.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:55		
51	BRS	2500	318/618,463,464,807,812,817,432.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:58		
52	BRS	5115	702/34,41,64,65,66,69,70,for.106,for.107,for.110.ccls. or 361/676,683,687,695,688,697.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 14:59		
53	BRS	7615	702/34,41,64,65,66,69,70,for.106,for.107,for.110.ccls. or 361/676,683,687,695,688,697.ccls. or 318/618,463,464,807,812,817,432.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:06		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
54	BRS	2	(702/34,41,64,65,66,69,70,for.106,for.107,for.110.ccls. or 361/676,683,687,695,688,697.ccls. or 318/618,463,464,807,812,817,432.ccls.) and fan with tachometer and (sum or sums or summing or add or adds or adding or combine or combining) with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:49		
55	BRS	7	(702/34,41,64,65,66,69,70,for.106,for.107,for.110.ccls. or 361/676,683,687,695,688,697.ccls. or 318/618,463,464,807,812,817,432.ccls.) and tachometer$1 with resistor with capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:12		
56	BRS	2	tachometer$1 with resistor with capacitor with waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:14		
57	BRS	2	tachometer with resistor with capacitor with waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:14		
58	BRS	56	tachometer$1 and resistor with capacitor with waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:16		
59	BRS	9	tachometer$1 and resistor with capacitor with waveform with (filter or filtering)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 17:56		
60	BRS	4	tachometer$1 and resistor with capacitor with waveform with (filter or filtering) and fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 15:17		
61	BRS	992	shaping adj network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 17:57		
62	BRS	0	fan with tachometer and shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 17:57		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
63	BRS	1	fan and tachometer and shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 17:58		
64	BRS	1	fan with shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 17:58		
65	BRS	19	fan and shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 17:59		
66	BRS	992	shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:03		
67	BRS	14	(702/$.ccls. or 361/$.ccls. or 318/$.ccls.) and shaping adj networks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:01		
68	BRS	2	(702/$.ccls. or 361/$.ccls. or 318/$.ccls.) and fan and shaping adj networks	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:02		
69	BRS	4	fan same shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:04		
70	BRS	19	fan and shaping adj1 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:08		
71	BRS	1	waveshape with tach with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:09		
72	BRS	22	waveform with tach with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:10		
73	BRS	2	fan and waveform with tach with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:10		
74	BRS	167	fan same waveform with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:23		
75	BRS	0	fan with tachometer with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:32		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
76	BRS	0	fan with tachometer with (filter or filtering)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:32		
77	BRS	55	fan with (filter or filtering or filtered) and tachometer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:32		
78	BRS	95	fan with (filter or filtering or filtered) and cooling with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:33		
79	BRS	14	fans with (filter or filtering or filtered) and cooling with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:35		
80	BRS	11	fans with (filter or filtering or filtered) and cooling and waveform	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/28 18:35		
81	BRS	15	fan with processor with (pin or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 09:43		
82	BRS	157	cooling with system and processor with (pin or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 09:48		
83	BRS	0	cooling with system with fan with processor and hard-wired with pin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 09:51		
84	BRS	2	cooling with system with fan with processor with interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 09:53		
85	BRS	1	cooling with system with fan with processor with (pin or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 09:54		
86	BRS	45	cooling with system with fan and processor with (pin or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:14		
87	BRS	2	cooling with system with (fan or fans) with (microprocessor or processor) with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:01		
88	BRS	2	cooling with system with fan with (microprocessor or processor) with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:47		

	Type	·Hits'	Search Text	DBs	Time Stamp	Comments	Error Definition
89	BRS	1	cooling with system and fan with processor with node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:14		
90	BRS	42	cooling with system and fan and processor with node	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:20		
91	BRS	6	cooling with system and fan with sense with (pin or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:29		
92	BRS	39	cooling with system and fan and sense with (pin or node)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:38		
93	BRS	4	6054823.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:38		
94	BRS	3	cooling with computer with fans with filters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:47		
95	BRS	8	cooling with system with fans with filters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:48		
96	BRS	0	(702/34,41,64,65,66,69,70,for. 106,for.107,for.110.ccls. or 361/676,683,687,695,688,697.cc ls. or 318/618,463,464,807,812,817,43 2.ccls.) and cooling with computer with fan with (filter or filtering) with pass	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:50		
97	BRS	334	(702/34,41,64,65,66,69,70,for. 106,for.107,for.110.ccls. or 361/676,683,687,695,688,697.cc ls. or 318/618,463,464,807,812,817,43 2.ccls.) and cooling with computer with fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:51		
98	BRS	441	(702/$.ccls. or 361/$.ccls. or 318/$.ccls.) and cooling with computer with fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:51		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
99	BRS	187	(702/$.ccls. or 361/$.ccls. or 318/$.ccls.) and cooling with computer with fans	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 11:05		
100	BRS	11	5963887.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 10:56		
101	BRS	23	cooling with computer with (fan or fans or multi-fan) with (filter or filters or filtering)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 11:11		
102	BRS	15	cooling with computer with (fan or fans or multi-fan) and (filter or filters or filtering) with high with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 11:13		
103	BRS	433	388/900,903.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:11		
104	BRS	13	(388/900,903.ccls.) and fan with cooling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:14		
105	BRS	1565	(fan or fans) with cooling with computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:21		
106	BRS	1	(fan or fans) with cooling with computer with (filter or filtered or filtering) with signal$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:23		
107	BRS	48	(fan or fans) with cooling with computer and (filter or filtered or filtering) with signal$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:23		
108	BRS	104	(fan or fans) with cooling with computer and high with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:24		
109	BRS	16	(fan or fans) with cooling with computer and (filter or filtered or filtering) with high with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:56		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
110	BRS	0	5727298.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:35		
111	BRS	19	5727928.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:36		
112	BRS	3	cooling with fans with computer with filters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:58		
113	BRS	1	cooling with fans with computer with filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 12:58		
114	BRS	16	cooling with fan with filters and computer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 13:07		
115	BRS	0	cooling with fan with computer and high with requency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 13:07		
116	BRS	75	cooling with fan with computer and high with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 13:08		
117	BRS	11	5963887.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 13:38		
118	BRS	14	cooling with computer and fans with filters	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:14		
119	BRS	2893	LC adj1 filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:18		
120	BRS	0	LC adj1 filter adj fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:18		
121	BRS	3	LC adj1 filter with fan	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 14:26		
122	IS&R	2	("20020099508").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:41		

01/30/2003, EAST Version: 1.03.0002

#	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
123	BRS	103	fan with different with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:26		
124	BRS	14	cooling with fan with different with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:28		
125	IS&R	2	("6216235").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 15:28		
126	BRS	5	cooling with fan and (operational with amplifier or op-amp) with (summer or accumulator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:46		
127	BRS	413	(operational with amplifier or op-amp) with (summer or accumulator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:15		
128	BRS	5	fan and cooling and (operational with amplifier or op-amp) with (summer or accumulator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 16:15		
129	BRS	15	fan and filter with blocking with capacitor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:17		
130	BRS	19	fan and frequency with discriminator and ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:19		
131	BRS	30	fan and discriminator and ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:23		
132	BRS	35	fan with cooling and ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:20		
133	BRS	147	frequency with discriminator and ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:24		
134	BRS	12	frequency with discriminator with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:28		

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
135	BRS	1	fan with frequency with (discrimination or discriminate or discriminates or discriminator or discriminators) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:29		
136	BRS	1	fan same frequency with (discrimination or discriminate or discriminates or discriminator or discriminators) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:29		
137	BRS	3	fan and frequency with (discrimination or discriminate or discriminates or discriminator or discriminators) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:29		
138	BRS	1	cooling and frequency with (discrimination or discriminate or discriminates or discriminator or discriminators) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:30		
139	BRS	65	frequency with (discrimination or discriminate or discriminates or discriminator or discriminators) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:50		
140	BRS	136	(discrimination or discriminate or discriminates or discriminator or discriminators or discriminated) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:50		

01/30/2003, EAST Version: 1.03.0002

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
141	BRS	117	(waveform or frequency) and (discrimination or discriminate or discriminates or discriminator or discriminators or discriminated) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 17:51		
142	BRS	75	(waveform or frequency) with (discrimination or discriminate or discriminates or discriminator or discriminators or discriminated) with ((fast adj fourier adj transform) or fft)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:22		
143	BRS	0	((fast adj fourier adj transform) or fft) with seperate with signal	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 18:15		
144	BRS	0	((fast adj fourier adj transform) or fft) with seperate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 18:16		
145	BRS	1384	((fast adj fourier adj transform) or fft) with components	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 18:18		
146	BRS	1	fan with cooling and ((fast adj fourier adj transform) or fft) with extract with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/29 18:19		
147	BRS	3	fan and ((fast adj fourier adj transform) or fft) with extract with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:10		
148	BRS	113	((fast adj fourier adj transform) or fft) with extract with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:17		
149	BRS	7	cooling and ((fast adj fourier adj transform) or fft) with extract with frequency	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:10		

Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
150 BRS	0	((fast adj fourier adj transform) or fft) with extract with frequency with seperate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:14		
151 BRS	4	fan and ((fast adj fourier adj transform) or fft) with extract	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:18		
152 BRS	16	cooling and ((fast adj fourier adj transform) or fft) with extract	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:19		
153 BRS	2	(waveform or frequency) with (discrimination or discriminate or discriminates or discriminator or discriminators or discriminated) with ((fast adj fourier adj transform) or fft) with extract	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:23		
154 BRS	10	(discrimination or discriminate or discriminates or discriminator or discriminators or discriminated) with ((fast adj fourier adj transform) or fft) and extract with (waveform$1 or frequency$1 or signal$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:26		
155 BRS	7	(discrimination or discriminate or discriminates or discriminator or discriminators or discriminated) with ((fast adj fourier adj transform) or fft) with (extract or extracted or extraction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/01/30 08:26		